

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	8	"6324542"	US-PGPUB ; USPAT; EPO	AND	ON	2005/09/12 15:06
L14	4675	707/104.1	US-PGPUB ; USPAT; EPO	AND	ON	2005/09/12 15:06
L15	2759	707/203	US-PGPUB ; USPAT; EPO	AND	ON	2005/09/12 15:06
L16	5083	705/1	US-PGPUB ; USPAT; EPO	AND	ON	2005/09/12 15:06
L17	682	704/8	US-PGPUB ; USPAT; EPO	AND	ON	2005/09/12 15:06
L18	0	(agent same database same ticket same mobile same device).clm.	US-PGPUB ; USPAT; EPO	AND	ON	2005/09/12 15:07
S1	6	"6446049"	US-PGPUB ; USPAT; EPO	OR	ON	2004/08/12 11:18
S2	0	"pare.ini"	US-PGPUB ; USPAT; EPO	OR	ON	2004/08/12 11:18
S3	22	"705" and tokenless and pare	US-PGPUB ; USPAT; EPO	OR	ON	2004/08/12 11:19
S4	17005	("705").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO	OR	OFF	2005/09/12 14:51
S5	5	holtzman-h\$.in.	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2002/12/16 14:20
S6	119	((("705"/\$).CCLS.) and (RFID)	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2002/12/17 13:17
S7	29	((("705"/\$).CCLS.) and (RFID)	USPAT	OR	ON	2002/12/16 14:20
S8	2918	((("705"/\$).CCLS.) and (customer same database)	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2002/12/17 13:18
S9	51	((("705"/\$).CCLS.) and (customer same database) and RFID)	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2002/12/17 13:39
S10	11	((("705"/\$).CCLS.) and (customer same database same internet) and RFID)	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2002/12/17 13:42
S11	664	((("705"/\$).CCLS.) and (customer same database same internet))	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2003/08/18 13:29

S12	154	((("705"/\$.CCLS.) and ((customer same database same internet))	USPAT	OR	ON	2002/12/17 13:46
S13	10	((("705"/\$.CCLS.) and ((customer adj database same internet))	USPAT	OR	ON	2002/12/17 13:48
S14	282	"705"/\$ and (customer adj (database or data or information) same (internet or network))	USPAT	OR	ON	2002/12/17 13:53
S15	95	"705"/\$ and (customer adj (database or data or information) same (internet or network) same (transaction or sale))	USPAT	OR	ON	2002/12/17 13:54
S16	8	presto same technologies	US-PGPUB ; USPAT; EPO; JPO	OR	ON	2003/08/18 13:31

© List of Databases Searched

Full-Text Databases - Group 1, Descriptions

ABI/INFORM® (File 15)
Computer Database™ (File 275)
New Product Announcements/Plus® (NPA/Plus) (File 621)
Newsletter Database™ (File 636)
PROMT® (File 16)
PROMT® Backfile (File 160)
Trade & Industry Database™ (File 148)

Full-Text Databases - Group 2, Descriptions

American Banker (File 625)
Bond Buyer (File 626)
Business & Industry® (File 9)
Business Week (File 623)
Business Wire (File 610, 810)
Dialog Finance & Banking Newsletters (File 267)
Knight-Ridder/Tribune Business News (File 608)
MathSci® (File 239)
The McGraw-Hill Companies Publications Online (File 624)
PR Newswire (File 613, 813)
San Jose Mercury News (File 634)
World Reporter (File 20)
Financial Times Fulltext (File 476)

Abstract Databases, Descriptions

Dissertation Abstracts Online (File 35)
Financial Times Abstracts (File 473)
Globalbase™ (File 583)
Inside Conferences (File 65)
INSPEC (File 2)
JICST-EPlus - Japanese Science & Technology (File 94)
National Technical Information Service (File 6)
New York Times Abstracts (File 474)
SciSearch®: A Cited Reference Science Database (File 34, 434)
Softbase: Reviews, Companies and Products (File 256)
Wall Street Journal Abstracts (File 475)
Wilson Applied Science & Technology Abstracts (File 99)

① Search Full-Text Databases-Group 1

The standard Search strategy for this unit is below. Highlight and drag it into the box below. Use caution to apply correct boolean w/matched parenthesis. These arguments are applied to :

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHI
OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ?
(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRA
OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR S
(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT?
DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1w) (CODE? ? OR CO
(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPH
OR PUBLIC OR PRIVATE) (1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR
ENCRYPT?))

⚠ Make sure your cursor is placed fully to the left in each search box.

Search Term(s)

rules query ticket database

and

Author



e.g. ward j? or ward, j?

Years Before and Including

All Years

Search

Clear

 Logout **Dialog**
 LOG OFF

Search
results: 0 titles

Search Report

Database Name	Database Number
---------------	-----------------

ABI/INFORM	15
COMPUTER DATABASE	275
NEW PRODUCT ANNMNT	621
NEWSLETTER DB	636
TRADE&INDUSTRY	148
PROMT (90- PRESENT)	16
PROMT (1972-1989)	160

Set

Description

S1	(rules(1N)query(1N)ticket(1N)database) S1 and ((UNCYPHER? OR UNENCYPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT? OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1w)(CODE? ? OR CODING)) or
S2	(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR SECURE(2W)(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))
S3	RD
S4	SORT /ALL/pd,a

Help Tips for 'Zero Records' - How To Get More Records

- Don't over-specify: use only the search options you really need -- leave the others blank.
- Exclude "implied concepts": leave out words like 'research' or 'effects.'
- Use more wildcards to search different word endings: use COMPUTER? in place of COMPUTER.
- Check the format of your entry. Follow the Search Tips examples shown on the search page.
- Check for misspelled words.
- Check that you are using parentheses correctly when you combine words with AND, OR, NOT.

For more tips on searching, see the [Help page](#).

② Search Full-Text Databases-Group 2

The standard Search strategy for this unit is below. Highlight and drag it into the box below. You Use caution to apply correct boolean w/matched parenthesis. These arguments are applied to :

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHI
OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ?
(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRA
OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR S
(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT?
DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET(1W) (CODE? ? OR CO
(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPH
OR PUBLIC OR PRIVATE) (1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR
ENCRYPT?))

⚠ Make sure your cursor is placed fully to the left in each search box.

Search Term(s)	<input type="text" value="rules query ticket database"/>	<input type="text" value="and"/>	<input type="text"/>
Author	<input type="text"/>	e.g. ward j? or ward, j?	
Years Before and Including	<input type="text" value="All Years"/>		
		<input type="button" value="Search"/>	<input type="button" value="Clear"/>

[illegible]

Set	Description
S1	(rules(1N)query(1N)ticket(1N)database) S1 and ((UNCYPHER? OR UNENCYPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT? OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W) PAIR? ? OR SECRET(1w)(CODE? ? OR CODING)) or
S2	(CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR SECURE(2W) (TRANSACT? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

S3

RD

Help Tips for 'Zero Records' - How To Get More Records

- Don't over-specify: use only the search options you really need -- leave the others blank.
- Exclude "implied concepts": leave out words like 'research' or 'effects.'
- Use more wildcards to search different word endings: use COMPUTER? in place of COMPUTER.
- Check the format of your entry. Follow the Search Tips examples shown on the search page.
- Check for misspelled words.
- Check that you are using parentheses correctly when you combine words with AND, OR, NOT.

For more tips on searching, see the [Help page](#).

③ Search Abstract Databases

The standard Search strategy for this unit is below. Highlight and drag it into the box below. You Use caution to apply correct boolean w/matched parenthesis. These arguments are applied to :

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYPHI
OR DECRYPT? OR DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ?
(CODE? ? OR CODING)) or (CYPHER? OR UNENCRYPT? OR DESCRAMBL? OR UNSCRA
OR DECRYPT? OR DECIPHER? OR (SECRET OR PUBLIC OR PRIVATE)(1W)KEY? ? OR S
(TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? OR ENCRYPT?))

and ((UNCYPHER? OR UNENCYIPHER? OR UNENCIPHER? OR UNCIPHER? OR ENCYIPHER? OR UNCRYPT?
DECYPHER? OR UNENCOD? OR ENCIPHER? OR KEY? ?(1W)PAIR? ? OR SECRET() (CODE? ? OR CODI
OR UNENCRYPT? OR DESCRAMBL? OR UNSCRAMBL? OR CIPHER? OR DECRYPT? OR DECIPHER? OR (S
OR PRIVATE) (1W)KEY? ? OR SECURE(2W) (TRANSACTION? OR PROCESS???) OR CRYPT? OR SCRAMBL? (

 Make sure your cursor is placed fully to the left in each search box.

Search Term(s)

and ((UNCYPHER

and ▼

Author

e.g. ward j? or ward, j?

Years Before and Including

All Years ▼

**NOTE: Your search strategy and databases searched will be displayed in a separate win
the window and include it in your search report.**

Search

Clear